This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



| Priority Data: 09/153,471 OApplicant (for AE AU BB CA CY GB GD GH GM LC LK LS MN MW NZ SD SG SL SZ TT UG ZA UNILEVER PLC [GB/GB]; Unilever House, I London EC4P 4BQ (GB). | A1 | (11) International Publication Number:(43) International Publication Date: | WO 00/15181 |
|--|---|---|--|
| Priority Data: 09/153,471 OApplicant (for AE AU BB CA CY GB GD GH GM LC LK LS MN MW NZ SD SG SL SZ TT UG ZA UNILEVER PLC [GB/GB]; Unilever House, I London EC4P 4BQ (GB). | ED00/0676 | (43) International Publication Date: | |
| Priority Data: 09/153,471 OApplicant (for AE AU BB CA CY GB GD GH GM LC LK LS MN MW NZ SD SG SL SZ TT UG ZA UNILEVER PLC [GB/GB]; Unilever House, I London EC4P 4BQ (GB). | EDOOLOG | | 23 March 2000 (23.03.00) |
| 09/153,471 15 September 1998 (15.09) Applicant (for AE AU BB CA CY GB GD GH GM LC LK LS MN MW NZ SD SG SL SZ TT UG ZA UNILEVER PLC [GB/GB]; Unilever House, 1 London EC4P 4BQ (GB). | EP99/0672 9 (09.09.9 | Colworth House, Sharnbrook, F | Unilever PLC, Patent Dept., Bedford, Bedfordshire MK44 |
| Applicant (for all designated States except AE AU GB GD GH GM IE IL IN KE LC LK LS MN MW SL SZ TT UG ZA ZW): UNILEVER NV [NL/N 455, NL-3013 AL Rotterdam (NL). | M IE IL KA A ZW only, Blackfriars | ES, FI, GB, GD, GE, GH, GM, KE, KG, KP, KR, KZ, LC, LK, MG, MK, MN, MW, MX, NO, SE, SG, SI, SK, SL, TJ, TM, YU, ZA, ZW, ARIPO patent (CSL, SZ, UG, ZW), Eurasian pat MD, RU, TJ, TM), European pa DK, ES, FI, FR, GB, GR, IE, | CU, CZ, DE, DK, DM, EE, HR, HU, ID, IL, IN, IS, JP, LR, LS, LT, LU, LV, MD, NZ, PL, PT, RO, RU, SD, TR, TT, UA, UG, UZ, VN, SH, GM, KE, LS, MW, SD, ent (AM, AZ, BY, KG, KZ, tent (AT, BE, CH, CY, DE, IT, IJ, MC, NJ, PT, SE, CT, LI, MC, NJ, PT, SE, CT, LI, IMC, NJ, PT, SE, LI, IMC, NJ, PT, SE, LI, IMC, IMC, IMC, IMC, IMC, IMC, IMC, IM |
| Applicant (for IN only): HINDUSTAN LEVER [IN/IN]; Hindustan Lever House, 165/166 Backl mation, Maharashtra, 400 020 Mumbai (IN). Inventor: BERGMANN, Wolfgang, Robert, Unile & Personal Care USA, 3100 East Golf Road Meadows, Chicago, IL 60008-4009 (US). | bay Recla | With international search report. Before the expiration of the tir claims and to be republished in | me limit for amending the |
| Title: HAIR CARE COMPOSITIONS COMPRISIN | | 1 | |
| Abstract | IG CERA | MIDE AND PHYTANTRIOI | |

Composition for the treatment and protection of hair, comprising, in a cosmetically acceptable medium, at least one ceramide and/or glycoceramide and phytantriol.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
|----|--------------------------|----|---------------------|----|-----------------------|------|--------------------------|
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| ΑT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| ΑU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| ΑZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | | Republic of Macedonia | TR | Turkey |
| BG | Bulgaria | HU | Hungary | ML | Mali | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MN | Mongolia | ÜA | Ukraine |
| BR | Brazil | IL | Israel | MR | Mauritania | UG | Uganda |
| BY | Belarus | IS | Iceland | MW | Malawi | US | United States of America |
| CA | Canada | IT | Italy | MX | Mexico | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NE | Niger | VN | Viet Nam |
| CG | Congo | KE | Kenya | NL | Netherlands | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NO | Norway | zw | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's | NZ | New Zealand | _,,, | Zillozowe |
| CM | Cameroon | | Republic of Korea | PL | Poland | | |
| CN | China | KR | Republic of Korea | PT | Portugal | | |
| CU | Cuba | KZ | Kazakstan | RO | Romania | | |
| CZ | Czech Republic | LC | Saint Lucia | RU | Russian Federation | | |
| DE | Germany | LI | Liechtenstein | SD | Sudan | | |
| DK | Denmark | LK | Sri Lanka | SE | Sweden | | |
| EE | Estonia | LR | Liberia | SG | Singapore | | |

- 1 -

HAIR CARE COMPOSITIONS COMPRISING CERAMIDE AND PHYTANTRIOL

SUMMARY OF THE INVENTION

5

10

The present invention relates to compositions intended for the treatment and protection of hair and comprising, in a cosmetically acceptable medium, at least one ceramide and/or glycoceramide and phytantriol. The compositions of the invention have excellent hair conditioning properties as could be proven in salon blitz testing. The compositions of the invention can be used to treat hair to give good wet combing properties and this could be proven by using the Instron test methods set forth herein.

15

The invention also relates to the cosmetic treatment process employing such compositions.

Hair-care formulations which make it possible to treat hair
which has been damaged by inclement weather or by unsuitable
hair treatments are already known in the prior art.
Cationic polymers which have the advantage of improving
these cosmetic properties, inter alia, the disentangling
and the softness of wet and dried hair, and also of
protecting the hair fibers from these harmful agents, have
already been used for this purpose. However, some cationic
polymers have unsatisfactory disentangling properties, and
have a tendency, for example, when treatments are
superposed, to make the hair lank and feel coarse.

- 2 -

Ceramides or glycoceramides which have already been combined with cholesterol esters for the purpose of protecting the hair fiber are also known. Application of these latter compositions or of ceramides alone to the hair result, however, in cosmetic performance parameters which are inadequate, both on wet hair and on dried hair. The present invention relates to a combination of ceramides at least one ceramide and/or glycoceramide and phytantriol which results in especially advantageous cosmetic properties, in particular as regards wet disentangling. In particular, the combination is believed to have a synergistic effect which is not simply the addition of the properties of the two components.

The invention relates to obtaining this effect by combining ceramides or glycoceramides with phytantriol.

The present invention is therefore drawn to a composition intended for the treatment and protection of hair, based on one ceramide and/or glycoceramide and phytantriol.

The present invention is also drawn to a process for the cosmetic treatment of hair, employing such a composition.

Other subjects of the invention will become apparent on reading the description and the examples which follow.

The composition intended for the treatment and protection of hair according to the invention is essentially characterized in that it contains, in a cosmetically acceptable medium, at least one ceramide and/or glycoceramide and phytantriol.

Silicone polymers such as dimethiconol or dimethicone may also be included in the compositions of the invention.

A surfactant such as sodium lauryl ether sulfate may also be included in compositions of the invention.

A suspending agent such as Carbopol 980 may also be included in compositions of the invention.

An amphoteric surfactant such as cocamidopropyl betaine may also be included in compositions of the invention.

A polyhydric alcohol such as propylene glycol may also be included in compositions of the invention.

15

A cationic polymer such as Jaguar C13S may also be included in compositions of the invention.

A amphoteric surfactant such as polyglucose may also be included in compositions of the invention.

A fatty alcohol such as cetyl alcohol may also be included in compositions of the invention.

An amidoamine compound such as stearamidyl propyl dimethylamine may be used in the compositions of the invention.

A silicone polymer such as dimethicone may be used in the compositions of the invention.

- 4 -

Other optional ingredients include preservatives, fragrances, colors, salts and acid or bases to adjust the pH as desired.

5

DETAILED DESCRIPTION OF THE INVENTION

Unless otherwise indicated, as used herein, % or wt %, means weight %.

10

The ceramides and/or glycoceramides are known per se, and are natural or synthetic molecules corresponding to the general formula:

15

20

Ι

in which:

25

R₁₃ denotes a saturated or unsaturated, linear or branched alkyl radical derived from C14-C30 fatty acids, it being possible for this radical to be substituted with a hydroxyl group at the alpha -position or a hydroxyl group at the omega -position esterified with a saturated or unsaturated C16-C30 fatty acid;

 R_{14} denotes a hydrogen atom or a $(glycosyl)_n$, $(galactosyl)_m$ or sulphogalactosyl radical; in which:

n is an integer varying from 1 to 4; and

5

10

m is an integer varying from 1 to 8;

R₁₅ denotes a C15-C26 hydrocarbon radical, saturated or unsaturated at the alpha -position and which can be substituted with one or more C1-C14 alkyl radicals; in the case of natural ceramides or glycoceramides, R₁₅ can also denote a C15-C26 alpha -hydroxyalkyl radical, the hydroxyl group being optionally esterified with a C16-C30 alpha -hydroxy acid.

15

20

Preferred ceramides are those described by Downing in Arch. Dermatol, Vol. 123, 1381-1384, 1987, or those described in French Patent FR-2,673,179, the disclosure of which is hereby incorporated by reference, the structures of which can be the following:

Ceramide 1

- 6 -

Ceramide 2

10

5

15

Ceramide 3

20

25

Ceramide 4

30

- 7 -

$$CH_3(CH_2)_{11}$$
 OH
 $CH_3(CH_2)_{14}$
 OH

10 Ceramide 5

5

$$CH_{3}(CH_{2})_{21}$$
 OH $CH_{3}(CH_{2})_{13}$ OH $CH_{3}(CH_{2})_{21}$ OH

Ceramide 61

25

30

- 8 -

$$CH_3$$
— $(CH_2)_{21}$ — OH
 $CH_3(CH_2)_{13}$ — OH
 OH

5

Ceramide 611

Other ceramides are ceramide 3 derivatives as described in U.S. Patent No. 5,693,677 issued December 2, 1997, which is hereby incorporated by reference.

More especially preferred, ceramides are the compounds of formula (I) above for which: R_3 denotes a saturated or unsaturated alkyl derived from a C16-C22 fatty acid; R_{14} denotes hydrogen;

 R_{15} denotes a saturated linear C_{15} radical.

20

Such compounds are, for example:

- -N-linoleoyldihydrosphingosine, -N-oleoyldihydrosphingosine,
- -N-palmitoyldihydrosphingosine, -N-
- 25 stearoyldihydrosphingosine, -N-behenoyldihydrosphingosine,
 - or mixtures of these compounds.
- 30 It is also preferable to use those for which:

- 9 -

 R_{13} denotes a saturated or unsaturated alkyl radical derived from a fatty acid;

 R_{14} denotes galactosyl or sulphogalactosyl; and

5

15

20

 R_{15} denotes -CH= CH-(CH₂)₁₂-CH₃.

The product consisting of a mixture of these compounds, sold under the trade name GLYCOCER by the company WAITAKI

10 INTERNATIONAL BIOSCIENCES may be mentioned.

The cationic polymers are preferably used in proportions of 0.05 to 5% by weight expressed as active substance, and preferably from 0.1 to 3% by weight, relative to the total weight of the composition.

The ceramides and/or glycoceramides are preferably used in proportions of 0.005% to 5% by weight expressed as active substance, and preferably from 0.01 to 3% by weight, relative to the total weight of the composition. These compositions can contain surfactants, such as nonionic or cationic surfactants, in proportions generally from 0.1 to 10% by weight.

Phytantriol is a triol known from published German patent application No. 1,149,700, and called 3, 7, 11, 15-tetramethyl-1,2,3-trihydroxyhexadecane (also known as dihydro-2,3-dihydroxyphytol). The disclosure of German patent application No. 1,149,700 is hereby incorporated by reference.

- 10 -

Nonionic surfactants used in a preferred embodiment of the invention are known per se, and may be chosen from polyethoxylated, polypropoxylated or polyglycerolated alcohols, alpha-diols, alkylphenols and fatty acids having a fatty chain containing 8 to 18 carbon atoms, it being possible for the number of ethylene oxide and propylene oxide groups to range especially from 2 to 50 and for the number of glycerol groups to range, in particular, from 2 to 30.

10

20

25

30

There may also be mentioned copolymers of ethylene oxide and propylene oxide, condensates of ethylene oxide and propylene oxide with fatty alcohols; polyethoxylated fatty amides preferably having 2 to 30 mol of ethylene oxide,

polyglycerolated fatty amides containing on average 1 to 5 glycerol groups, and especially 1.5 to 4 glycerol groups; polyethoxylated fatty amines preferably having 2 to 3 mol of ethylene oxide; oxyethylenated fatty acid esters of sorbitan having from 2 to 30 mol of ethylene oxide, fatty acid esters

of sucrose, fatty acid esters of polyethylene glycol, alkylpolyglycosides, N-alkylglucamine derivatives and amine oxides such as (C10-C14 alkyl)amine oxides or N-acylaminopropylmorpholine oxides. Alkylpolyglycosides and polyglycerolated alcohols, alpha-diols, alkylphenols and fatty acids are more especially preferred.

The compositions according to the invention can contain cationic surfactants, such as primary, secondary or tertiary fatty amine salts, optionally polyoxyethylenated; quaternary ammonium salts such as tetraalkylammonium, alkylamidoalkyltrialkylammonium, trialkylbenzylammonium,

- 11 -

trialkylhydroxyalkylammonium or alkylpyridinium chlorides or bromides; or imidazoline derivatives.

The compositions can contain thickening agents such as

sodium alginate, gum arabic, cellulose derivatives such as

methylcellulose, hydroxymethylcellulose,
hydroxyethylcellulose hydroxypropylcellulose or
hydroxypropylmethylcellulose guar gum or its derivatives,
xanthan gums, scleroglucans, cross-linked polyacrylic acids,

10 polyurethanes or copolymers based on optionally cross-linked
maleic acid or anhydride, associative thickeners bearing
fatty chains of the natural type, such as the product
marketed under the name NATROSOL PLUS, or synthetic
thickeners such as the products marketed under the name

PEMULEN.

The pH of these compositions is generally from 2 to 9, and preferably from 3 to 8. It is adjusted with cosmetically acceptable alkalinizing or acidifying agents which are known per se.

The compositions according to the invention can contain preservatives, sequestering agents, emollients, foam modifiers, acidifying or alcalinizing agents, perfumes, colorants, viscosity modifiers, pearlescent agents, hydrating agents, antidandruff agents, antiseborrhoeic agents, sunscreen agents, proteins, vitamins, hydroxy acids, salts, detoxifying agents, permanent-waving reducing or fixing agents or mixtures thereof.

20

- 12 -

Other conditioning agents may be used in addition. In this connection, there may be mentioned natural, hydrogenated or unhydrogenated, synthetic or non-synthetic hydrocarbon oils which are cyclic or aliphatic, linear or branched, saturated or unsaturated and soluble or insoluble, fatty alcohols; volatile or non-volatile silicones, organomodified or otherwise and soluble or insoluble in the medium; perfluorinated or fluorinated oils, polybutenes and polyisobutenes, fatty esters occurring in liquid, pasty or solid form, esters of polyhydric alcohols, glycerides, natural or synthetic waxes, silicone gums and resins; proteins; or a mixture of these different agents.

The compositions according to the invention may be shampoos. 15 Or they may be other types of hair care compositions (such as conditioners and mousses) and may be used before or after shampooing, before or after permanent-waving or between the reducing and fixing stages, and before or after bleaching or dyeing or straightening. To impart a conditioning benefit, the compositions of the invention when used in 20 conjunction with hair dyes may also be used for the dyeing of keratinous fibers such as hair, in which case they contain oxidation dyes and/or direct dyes which are well known in the hair dyeing field. Dyes of this type are 25 described, in particular, in Charles ZVIAK" Sciences des Traitements capillaires" [Hair treatment science] Ed. Masson, 1 988, the disclosure of which is hereby incorporated by reference. To impart a conditioning benefit, the compositions may also be used in conjunction with permanent 30 wave agents for permanent-waving in which case they contain reducing agents or fixing or neutralizing agents, depending

- 13 -

on whether the composition is used for reducing or fixing hair. Such products are described, in particular, in Charles ZVIAK "Sciences des Traitements capillaires" mentioned above.

5

10

These products generally take the form of emulsions or dispersions or solutions. They can also be in the form of fluid or thickened liquids, gels or creams. They may be used as they are or be diluted before use. They can also be packaged in a container under pressure and be delivered in spray, liquid, cream, gel or foam form.

The compositions of the invention are preferably aqueous.

- Another subject of the invention is drawn to a process for the treatment of hair, comprising applying a composition as defined above to the hair to be treated and in optionally carrying out rinsing.
- 20 Ranges of Phytantriol and Ceramide in compositions of the invention.

Ceramide: about 0.001 to about 1.0 wt.%

Phytantriol about 0.001 to about 1.0 wt.%

25

Preferred wt.% ratios of Ceramide to Phytantriol range from about 0.5 to about 3.0.

The compositions of the invention are made as described

30 below and by processes which are known to those skilled in the art. The compositions of the invention are made from

WO 00/15181

starting materials which are known to those skilled in the art or which can be made by processes known to those skilled in the art.

5 Improved Properties of Compositions of the Invention

The compositions of this invention would provide for unexpected improvements in detangling and wet stage conditioning of hair can be evaluated by using the Instron combing method which is detailed in M. Garcia & J. Diaz, JSCC, Vol. 27, 1976, p379 which is hereby incorporated by reference. The compositions of this invention would provide for unexpected improvements in the conditioning properties of hair and this can be shown by salon blitz testing.

15

The examples which follow are intended to illustrate the invention, no limitation of the latter being, however, implied.

Non-limiting examples of the invention can be prepared as follows.

- 15 -

EXAMPLES

Example 1

5 Shampoo Example Containing Phytantriol/Ceramide Combination

| <u>Ingredient</u> | WEAR |
|--|-------|
| (1) Sodium Lauryl Ether Sulfate (25% Active) | 56.00 |
| (2) Carbopol 980 (2% aqueous solution) | 20.00 |
| (3) Cocamidopropyl betaine | 6.67 |
| (4) DC 1784 Dimethiconol Emulsion (50% | 2.00 |
| Active) | |
| (5) Propylene Glycol | 0.5 |
| (6) Jaguar C13S | 0.1 |
| (7) Phytantriol | 0.1 |
| (8) Ceramide A ¹ | 0.25 |
| (9) Polyglucose | 0.25 |
| (10) Preservatives and Fragrance | 0.75 |
| (11) Sodium Chloride | 0.5 |
| (12) Sodium Hydroxide | 0.45 |
| (13) Water | q.s. |

N-oleoyldihydrosphingosine

5

20

Preparation of Shampoo Example

- a. In Tank A introduce ingredient 1
- b. Prepare Premix A by mixing ingredient 5 and ingredient6 until ingredient 6 is well dispersed.
- c. Add Premix A to Tank A and mix well.
- d. Add Ingredients 12 and 2 to Tank A. Mix well and Heat Tank A to 60° C
- e. Prepare Premix B by combining ingredients 8 and 9 and 10 heat to 60° C.
 - f. Mix Premix B until ingredients are fully melted.
 - g. Add Premix B into Tank A at 60° C.
 - h. Once fully mixed begin cooling contents of Tank A to $35-40\,^{\circ}$ C.
- 15 i. Add ingredients 3 and 4 to Tank A and mix well.
 - k. Prepare Premix C by combining ingredients 7 and 10.
 - 1. Add Premix C to Tank A and mix well.
 - m. Add remaining ingredients (11 and 12) to Tank A to bring batch to pH 5.7-6.3 and viscosity 4,000-7,000 cps.

- 17 -

Example 2

Conditioner Example Containing Phytantriol/Ceramide Combination

5

| Ingredient | With the second |
|-----------------------------------|-----------------|
| (1) Stearamidoproyl Dimethylamine | 0.50 |
| (2) Citric Acid | 0.185 |
| (3) Propylene Glycol | 0.50 |
| (4) Dicetyldimonium Chloride | 2.10 |
| (5) Stearyl Alcohol | 1.0 |
| (6) Cetyl Alcohol | 3.25 |
| (7) Cyclomethicone | 1.8 |
| (8) Dimethicone | 0.10 |
| (9) Ceramide A ¹ | 0.25 |
| (10) Polyglucose | 0.25 |
| (11) Phytantriol | 0.1 |
| (12) Preservatives and Fragrance | 0.75 |
| (13) Water | q.s. |

¹N-oleoyldihydrosphingosine

- 18 -

Preparation of Conditioner Example

- a. Add ingredient 13 into Tank A and heat to 75-85 ° C.
- b. Once Tank A achieves 75-85° C add in ingredients 1, 2,
- 5 3, 4, 5, and 6. Mix well until completely melted.
 - c. Prepare Premix A by combining ingredients 9 and 10 and heating to 75-85°C.
 - d. Once Premix is completely melted add to Tank A.
 - e. Begin cooling Tank to 35-40 °C.
- 10 f. Once Tank A is cooled to 35-40 °C, then add ingredients 7 and 8 and mix well.
 - g. Prepare Premix B by combing ingredients 11 and 12.
 - h. Add Premix B to Tank A to complete the batch.
- Hair is treated with the compositions of the invention by

 (1) applying water to said hair (or starting the process
 with hair that is damp because it has already been
 shampooed); (2) applying to said hair an effective amount
 of a composition of the invention; (3) rubbing said hair
- with the hands or a hair appliance such as a comb; and (4) rinsing said hair with water.

These compositions of the invention enhance conditioning as would be shown by salon blitz testing and Instron combing

testing. The Instron combing test and combing force are as described in Garcia et al, J. Soc. Cosmet. Chem.

27:379(1976) which is hereby incorporated by reference.

- 19 -

CLAIMS

- 1. A composition for the treatment and protection of hair, comprising, in a cosmetically acceptable medium: at least one ceramide and/or glycoceramide and phytantriol.
 - 2. A composition in accordance with claim 1 wherein the ceramide and/or glycoceramide is present in a range of about 0.001 to about 1 wt.%.
- 3. A composition in accordance with claim 1 wherein the phytantriol is present in a range of about 0.001 to about 1 wt.%.
- 4. A composition in accordance with claim 1 wherein the

 15 ceramide and/or glycoceramide is present in a range of about

 0.001 to about 1 wt.%; and wherein the phytantriol is

 present in a range of about 0.001 to about 1 wt.%.
- 5. A composition according to claim 1, wherein the weight % ratios of ceramide and/or glycoceramide to Phytantriol range from about 0.5 to about 3.0.
 - 6. A composition according to claim 1 wherein the ceramide is selected from the group consisting of -N-
- 25 linoleoyldihydrosphingosine, -N-oleoyldihydrosphingosine,
 -N-palmitoyldihydrosphingosine, -Nstearoyldihydrosphingosine, -N-behenoyldihydrosphingosine,

and mixtures of these compounds.

- 20 -

- 7. A composition according to claim 1 in the form of a shampoo, conditioner, or mousse.
- 8. A composition according to claim 1 in the form of an 5 emulsion, a dispersion, or a solution.
- 9. A composition according to claim 1 which further comprises an agent selected from the group consisting of preservatives, sequestering agents, emollients, foam 10 modifiers, acidifying or alcalinizing agents, perfumes, colorants, viscosity modifiers, pearlescent agents, hydrating agents, antidandruff agents, antiseborrhoeic agents, sunscreen agents, proteins, vitamins, hydroxy acids, salts, detoxifying agents, permanent-waving reducing or 15 fixing agents and mixtures thereof.
- 10. A composition according to claim 1 which further comprises a conditioning agent selected from the group consisting of natural, hydrogenated or unhydrogenated, 20 synthetic or non-synthetic hydrocarbon oils; soluble fatty alcohols, insoluble fatty alcohols; volatile silicones, non-volatile silicones, perfluorinated or fluorinated oils, polybutenes, polyisobutenes; fatty esters of polyhydric alcohols, glycerides, natural waxes, synthetic waxes,
- 25 silicone gums, resins; proteins; and a mixture of thereof.

- 21 -

11. A composition according to claim 1 which comprises:

| Ingredient | WE: |
|--|-------|
| (1) Sodium Lauryl Ether Sulfate (25% | 56.00 |
| Active) | |
| (2) Carbopol 980 (2% aqueous solution) | 20.00 |
| (3) Cocamidopropyl betaine | 6.67 |
| (4) DC 1784 Dimethiconol Emulsion (50% | 2.00 |
| Active) | |
| (5) Propylene Glycol | 0.5 |
| (6) Jaguar C13S | 0.1 |
| (7) Phytantriol | 0.1 |
| (8) Ceramide A ² | 0.25 |
| (9) Polyglucose | 0.25 |
| (10) Preservatives and Fragrance | 0.75 |
| (11) Sodium Chloride | 0.5 |
| (12) Sodium Hydroxide | 0.45 |
| (13) Water | q.s. |

¹N-oleoyldihydrosphingosine

12. A composition according to claim 1 which comprises:

| Ingredient - a | WE A |
|-----------------------------------|-------|
| (1) Stearamidoproyl Dimethylamine | 0.50 |
| (2) Citric Acid | 0.185 |
| (3) Propylene Glycol | 0.50 |
| (4) Dicetyldimonium Chloride | 2.10 |
| (5) Stearyl Alcohol | 1.0 |
| (6) Cetyl Alcohol | 3.25 |
| (7) Cyclomethicone | 1.8 |
| (8) Dimethicone | 0.10 |
| (9) Ceramide A ¹ | 0.25 |
| (10) Polyglucose | 0.25 |
| (11) Phytantriol | 0.1 |
| (12) Preservatives and Fragrance | 0.75 |
| (13) Water | q.s. |

¹N-oleoyldihydrosphingosine

5 13. A method for treating hair which comprises contacting it with an effective amount of a composition according to claim 1.

INTERNATIONAL SEARCH REPORT

Inter onal Application No PCT/EP 99/06720

| T | | | ICI/EF 9 | 9/00/20 |
|----------------|---|--|--------------------------------------|---|
| IPC 7 | SIFICATION OF SUBJECT MATTER A61K7/06 | | | |
| According | to international Patent Classification (IPC) or to both national classi | fication and IPC | | |
| B. FIELD: | S SEARCHED | | | |
| IPC 7 | cocumentation searched (classification system followed by classification $A61K$ | ation symbols) | | The first section of the section of |
| Document | ation searched other than minimum documentation to the extent tha | t such documents are include | ed in the fields | searched |
| Electronic | data base consulted during the international search (name of data t | pase and, where practical, so | earch terms use | ed) |
| | | | | |
| | | | | |
| | ENTS CONSIDERED TO BE RELEVANT | | | |
| Category * | Citation of document, with indication, where appropriate, of the re | alevant passages | | Relevant to claim No. |
| X | EP 0 521 647 A (UNILEVER PLC ; UNILEVER NV (NL)) 7 January 1993 (1993-01-07) example 1 | | | 1,3,9,10 |
| X | DE 196 27 931 A (CARE FULL COLOURS KOSMETIK PRO) 22 January 1998 (1998-01-22) claim 3 | | | 1-4 |
| Υ | WO 97 34570 A (UNILEVER PLC ;UNI (NL)) 25 September 1997 (1997-09- page 1; table 1 page 12, line 18,19; claims 1,7 | 1-13 | | |
| Y | EP 0 278 505 A (ESTEE LAUDER INC 17 August 1988 (1988-08-17) claims 1,14 | EP 0 278 505 A (ESTEE LAUDER INC) 17 August 1988 (1988-08-17) claims 1,14 | | |
| | - | -/ | | |
| | | | | |
| X Furthe | er documents are listed in the continuation of box C. | X Patent family mem | bers are listed i | in annex. |
| * Special cate | egories of cited documents : | TT leave de la late | | |
| conside | It defining the general state of the lart which is not red to be of particular relevance | "T" later document publisher or priority date and not cited to understand the invention | in conflict with t | the application but |
| uung da | cument but published on or after the international te t which may throw doubts on priority claim(s) or | "X" document of particular re cannot be considered in | lovel or cannot l | be considered to |
| Auth is | CIRC IO ASIANISH the nubication data at another | "Y" document of particular re | IP when the doc | sument is taken alone |
| O' documen | it referring to an oral disclosure, use, exhibition or | document is combined | o involve an invi with one or mor | entive step when the re other such docu- |
| P* documen | t published prior to the international filing date but | ments, such combination in the art. *&* document member of the | n being obvious | s to a person skilled |
| Date of the ac | itual completion of the international search | Date of mailing of the in | | · |
| 15 | December 1999 | 12/01/2000 |) | |
| lame and ma | iling address of the ISA European Pateni Office, P.B. 5818 Patentiaan 2 | Authorized officer | | |
| | NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016 | Sierra Gon | zalez, M | |

INTERNATIONAL SEARCH REPORT

PCT/EP 99/06720

| C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|--|--|------|
| Category | | | |
| A | FR 2 673 179 A (OREAL) 28 August 1992 (1992-08-28) cited in the application the whole document | | 1-13 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

1

INTERNATIONAL SEARCH REPORT

.nformation on patent family members

Inte onal Application No PCT/EP 99/06720

| | atent document d in search report | | Publication date | Patent tamily Publication member(s) date |
|----|--------------------------------------|-----|------------------|--|
| EP | 0521647 | A | 07-01-1993 | US 5118507 A 02-06-1992 AT 130753 T 15-12-1995 AU 652837 B 08-09-1994 AU 1850692 A 07-01-1993 CA 2072027 A,C 26-12-1992 DE 69206336 D 11-01-1996 DE 69206336 T 25-04-1996 ES 2081054 T 16-02-1996 JP 2042664 C 09-04-1996 JP 5186327 A 27-07-1993 JP 7064717 B 12-07-1995 NZ 243253 A 25-02-1994 ZA 9204712 A 27-12-1993 |
| DE | 19627931 | Α | 22-01-1998 | NONE |
| WO | 9734570 | A · | 25-09-1997 | US 5776443 A 07-07-1998 AU 2287297 A 10-10-1997 EP 0889712 A 13-01-1999 |
| EP | 0278505 | A | 17-08-1988 | CA 1311193 A 08-12-1992 DE 3871974 A 23-07-1992 JP 2510235 B 26-06-1996 JP 63270617 A 08-11-1988 |
| FR | 2673179 | A | 28-08-1992 | AT 125529 T 15-08-1995 CA 2061692 A 22-08-1992 DE 69203623 D 31-08-1995 DE 69203623 T 11-01-1996 EP 0500437 A 26-08-1992 ES 2074835 T 16-09-1995 GR 3017613 T 31-01-1996 JP 4327563 A 17-11-1992 US 5618523 A 08-04-1997 US 5773611 A 30-06-1998 |